

# Motorola cd900 Series Standard Customer Presentation June 1998



## Standard Customer Presentation Contents

- Introduction
- Key Consumer Selling Points
- Key Network Features
- Product Positioning
- Product Specification
- Product Performance
- Feature Specification
- Full Feature List
- Accessory Range
- Product Variants
- Product Customisation
- Competitors
- Marketing Support



Introduction

Don't fly in and out of the Office.

Take it with you.





## Motorola cd900 Series Key Consumer Selling Points

- Designed to be compact and very portable
- Optimax<sup>TM</sup>, high contrast, easy to read display
- VibraCall<sup>TM</sup> vibrating alert as standard
- 3 minute VoiceNote<sup>TM</sup> message recorder
- Future proofed with GSM900/1800 Dual-Band technology



## Motorola cd900 Series Key Network Features

- Dual-Band (GSM900/1800)
- Enhanced Full Rate Codec (EFR)
- SIM Application Toolkit
- Research proven design
- Data capable without PC card



## Motorola cd900 Series Product Positioning

- In the Motorola Product Range
  - Mid-tier
- Targeted at Business Users
  - Flipped version to eventually replace
     International 8000 series
  - Flipless version to eventually replace Slimlite
- Relative to Competitors
  - In the same tier as Nokia 6110, Ericsson 888,
     Philips Spark, Siemens S10



## Motorola cd900 Series Product Specification

- Size, Weight, Performance
  - 139 cc; 120 gm minimum; 145gm standard package
  - 210-270 mins talktime, 90-105 hrs standby standard package
  - up to 10 hours talktime, 250 hours standby
- Standard Package includes
  - cd920 or cd930 transceiver
  - 1000 mAh LiIon battery
  - Rapid Travel Charger with either UK or Euro plug
  - Pivoting Belt Holster
  - Local language user guide
  - Accessory leaflet and other local literature kit
- Walk and Talk Package includes standard contents plus PHFA
- Data Package includes standard contents plus Smart CELLect<sup>TM</sup>



## Motorola cd900 Series Standard Package





### **Product Performance**

	400 mAh Li Ion	650 mAh Ni MH	1000 mAh Li Ion	1100 mAh Ni MH	2800 mAh Li Ion	AA Alkaline
Volume (cc)	139	139	139	160	189	160
Weight (gm)	120	147	145	185	230	depends on batteries
Dimensions (mm)	130x55x27	130x55x27	130x55x27	130x55x32	130x55x43	130x55x32
Talktime: up to (mins)	60 - 90	150 - 180	210 - 270	210 - 270	480 - 600	depends on batteries
Standby time: up to (hours)	30 - 40	60 - 80	90 - 105	90 - 120	200 -250	depends on batteries
Charge time: to 90% (hours)	2	1	3	1.5	4	n/a

Standard Package Highlighted in Red. Charge times are with Rapid Travel Charger or optional Desktop Charger accessory. All times are approximate and will vary depending on network configuration and status, and the functions selected. Standby times are quoted as a range from DRX=2 to DRX=9. Talktimes are quoted as a range from DTX off to DTX on. Support of DTX mode is dependent on the network and may not be available in all areas.



## Motorola cd900 Series Main Feature Specification

- Dual-Band (GSM900/1800)
- Optimax<sup>TM</sup>, high contrast display
- VibraCall<sup>TM</sup> Alert
- VoiceNote<sup>TM</sup> Recorder (3min)
- Clock and Date
- Pivoting Belt Holster
- SIM Application Toolkit
- Data capable without PC card

- Enhanced Full Rate Codec (EFR)
- Rapid Travel Charger
- Takes Standard AAs (for emergency use)
- LED Status Indicator
- Operator defineable ringing melody
- Fixed Antenna (end user preference)
- Popular, Ergonomic design
- LiIon batteries as standard



## Motorola cd900 Series Full Feature Specification

#### User Interface

Display type

- Illuminated Graphic
- up to 4 lines of text
- Optimax TM High Contrast

Display icons

- Battery Meter
- Signal Strength
- Off-hook
- Roaming
- Home Zone\*
- Text Message Waiting
- Voice Message Waiting\*
- Ringing Alert On

LED Status Indicator

Dedicated Control Buttons

- Ouick Access
- Smart Button
- Volume kevs
- VoiceNotesTM

#### Languages

- 16 European languages
- Automatic selection determined by SIM card

#### Alert types

- VibraCall<sup>TM</sup> vibrating alert
- 11 different ringer tones
- Visual alert

Flip to answer/end calls (cd920 only) Postscripting

- short cut number entry system Illuminated Keypad

Personalised Menu List

#### Telephone Directories

Phone based directories:

- Phone book (100 names & numbers)
- last 10 calls made
- last 10 calls received or missed

#### SIM Card based directories:

- Phone book (upto 155 names & numbers depending on SIM)
- Fixed Dialling List (up to 40 names & numbers)\*
- Service Dialling List (dependent on Service Provider)\*

#### Advanced Features

VoiceNotes<sup>TM</sup>

- upto 3 minutes of messages
- upto 99 separate messages

Real Time Clock, with Date

#### Call Control

Call Diverting

Call Barring

Hold Call

Call Waiting

Calling Line Identification (name displayed if in Phonebook)

Missed Call Indicator

International Access Key Sequence

Key Answer Only (cd920 only)

User Call Rejection

Conference Calling\*

Call Transfer\*

Mute Call

Automatic Redial - on busy

#### Call Cost Control

- Advice of Charge (Charging and Information)\*
- Programmable Audible Call Timers
- Display Call Timers or charge meters

#### Network Related

Dual-Band GSM900/1800 operation SIM Application Toolkit support EFR Enhanced Voice Quality\* Voice encryption with A5/2 Algorithm

#### Non-Voice features

Text Messaging\*

- Send Short Messages
- Receive Short Messages
- Cell Broadcast

#### Fax\*

- Alternate between fax and voice (TS61)

#### Data\*

- upto 9600 bps standard operation
- upto 36000 bps (with optional CELLect™ 1 + and Smart CELLect™ accessories)
- upto 56000 bps (with optional CELLect<sup>TM</sup>3 accessory)

#### Security

Phone Lock

- manual
- automatic

SIM Card Lock

- SIM PIN
- SIM PIN 2

Keypad Lock

Restrict Access to Phone Directories

<sup>\*</sup> Network or Service Provider dependent feature



## **Accessory Range**



Rapid Travel Charger

- Same as StarTAC (SPN4278, plus appropriate plug)
- Included in every package



- Rapid Desktop Charger
  - New; can charge phone and second battery (SPN4523)
- Headset with Microphone (PHFA)
  - New; accept and end calls while phone is in holster (SLN3940)
- Pivoting Belt Holster
  - New; brings wearability to a new market segment (SHN6851)
  - Included in every package
- Leather carry cases
  - New; leather pouch stylish alternative to the plastic holster (SYN6913)
  - New; leather holster with rotating belt clip (SYN7380)







## **Accessory Range**



- Cigarette Lighter Adapter
  - Same as StarTAC (SYN4241)
- Professional Install Digital Handsfree Car Kit
  - New; full duplex operation (S8142)
- Professional Install Digital Handsfree Car Kit with Voice Recognition
  - New; allows storage and retrieval of 20 names and numbers (S8141)



- New; allows full data and fax functionality without PC Card (CD1310)
- Range of Batteries
  - 650 mAh NiMH (SNN5291)
  - 1000 mAh LiIon (SNN5360)
  - 1100 mAh NiMH + battery door (SNN5307 + SHN6618)










### **Product Variants**



- Two designs
  - cd920 Flipped version
  - cd930 Flipless version
- Three plastic colours
  - Black
  - Magix Grey
  - Ten-Pin Blue



cd930 Black

cd930 Grey

cd930 Blue



## Motorola cd900 Series Product Customisation

- Opportunities
  - Physical changes
    - Front escutcheon
    - Box artwork, within brand guidelines
  - Flexing changes
    - Wake-up graphic
    - Menu structure and feature set
- Rules
  - No changes to lens, housing, keypad or branding on rear of product
  - No changes to transceiver or box labels, except to reflect product name or EAN
    - space on Tranceiver label limited to 10 characters
  - Box artwork must conform to new Motorola brand guidelines
  - No changes allowed to inside of manuals
    - cover can be customised for large customers, within POD and brand guidelines
- Minimum volume for any change is 50k units over a 12 month period



## Motorola cd900 Series Competitors

	Standard Package	Best Performance	Strengths	Weaknesses
Motorola	Size (cc) 139	Smallest size (cc) 139	• Dualband (GSM900/1800)	<ul> <li>No Infra-Red port</li> </ul>
cd920 or cd930	Weight (gm) 145	Lowest weight (gm) 120	<ul> <li>Ergonomic designs</li> </ul>	<ul> <li>No Half Rate Codec</li> </ul>
	Talk time (mins) 210-270	Talk time (mins) 480-600	<ul> <li>VoiceNote &amp; VibraCall</li> </ul>	
	Standby time (hrs) 90-105	Standby time (hrs) 200-250	Optimax display	
Ericsson	Size (cc) 140	Smallest size (cc) *	• Dualband (GSM900/1800)	• Expensive
sh888 or sf888	Weight (gm) 195	Lowest weight (gm) 173	<ul> <li>Internal data card built-in</li> </ul>	<ul> <li>No Half Rate Codec</li> </ul>
	Talk time (mins) 210-265	Talk time (mins) 315-400	<ul> <li>Infra-Red port</li> </ul>	<ul> <li>Old form factor</li> </ul>
	Standby time (hrs) upto 80	Standby time (hrs) upto 120	<ul> <li>Enhanced Full Rate Codec</li> </ul>	
Nokia	Size (cc) 130	Smallest size (cc) 130	• Dualband (GSM900/1800)	<ul> <li>Gimmicky features</li> </ul>
6150	Weight (gm) 142	Lowest weight (gm) 142	<ul> <li>Infra-Red port</li> </ul>	<ul> <li>Late to market</li> </ul>
(Dual-band version of 6110;	Talk time (mins) 180-300	Talk time (mins) 300-480	<ul> <li>Reminders and Games</li> </ul>	<ul> <li>Limited Infra-Red</li> </ul>
expected end Q3-98)	Standby time (hrs) 60-260	Standby time (hrs) 100-450	<ul> <li>Call Screening</li> </ul>	functionality
Siemens	Size (cc) 160	Smallest size (cc) 160	• Dualband (GSM900/1800)	<ul> <li>OEM version from Bosch</li> </ul>
S15	Weight (gm) 185	Lowest weight (gm) 185	<ul> <li>Easy to use</li> </ul>	<ul> <li>Consumer oriented</li> </ul>
	Talk time (mins) upto 180	Talk time (mins) upto 600	<ul> <li>Dynamic character size</li> </ul>	<ul> <li>No EFR or HR Codecs</li> </ul>
	Standby time (hrs) upto 80	Standby time (hrs) upto 220	<ul> <li>Calculator function</li> </ul>	
Bosch	Size (cc) *	Smallest size (cc) *	• Dualband (GSM900/1800)	<ul> <li>Consumer oriented</li> </ul>
Dual-Com 738	Weight (gm) 192	Lowest weight (gm) 174	<ul> <li>Belt clip accessory</li> </ul>	<ul> <li>No EFR or HR Codecs</li> </ul>
	Talk time (mins) 200	Talk time (mins) 575	<ul> <li>Vibrating battery access'y</li> </ul>	
	Standby time (hrs) 80	Standby time (hrs) 220	<ul> <li>Calculator function</li> </ul>	
Mitsubishi	Size (cc) 168	Smallest size (cc) 168	• Dualband (GSM900/1800)	<ul> <li>Consumer oriented</li> </ul>
MT-D30	Weight (gm) 185	Lowest weight (gm) 185	<ul> <li>Rocker menu key</li> </ul>	<ul> <li>No EFR or HR Codecs</li> </ul>
(expected end Q2-98)	Talk time (mins) upto 180	Talk time (mins) upto 240	<ul> <li>Closed User Group</li> </ul>	
	Standby time (hrs) upto 110	Standby time (hrs) upto 180	<ul> <li>Conference Calling</li> </ul>	
NEC	Size (cc) 100	Smallest size (cc) 100	• Dualband (GSM900/1800)	<ul> <li>No Half Rate Codec</li> </ul>
DB2000	Weight (gm) 120	Lowest weight (gm) 120	<ul> <li>Metallic finish</li> </ul>	<ul> <li>No Infra-Red port</li> </ul>
(Low tier model G10	Talk time (mins) upto 150	Talk time (mins) upto 300	<ul> <li>Vibrating alert as standard</li> </ul>	
also expected Q3-98)	Standby time (hrs) upto 300	Standby time (hrs) upto 600	<ul> <li>LiIon battery as standard</li> </ul>	
Nortel/AEG/Matra	Size (cc) *	Smallest size (cc) *	<ul> <li>Dualband <u>PLUS</u> E-GSM</li> </ul>	<ul> <li>Expensive</li> </ul>
2785	Weight (gm) *	Lowest weight (gm) 165	• 14,400 data capable	<ul> <li>No Infra-Red port</li> </ul>
(Expected end Q3-98)	Talk time (mins) *	Talk time (mins) 360	Handsfree mode	
	Standby time (hrs) *	Standby time (hrs) 280	<ul> <li>Voice control and calling</li> </ul>	

\* Not known




## Motorola cd900 Series Marketing Support

- Advertising
  - TV adverts are Brand only; not product specific
  - Press adverts
    - Full Page Motorola, Co-Op and Dealer advert templates available
- Point of Sale
  - Product leaflets
  - cd900 series Accessory leaflet
  - POS Kit
    - 4 x cubes
    - 1 x poster
    - 1 x literature dispenser
    - 1 x 'Open / Closed' door sign
    - 1 x window sticker
    - 1 shelf wobbler
    - 1 x instore banner
  - Dummies



## Motorola cd900 Series Press Advert





## Motorola cd900 Series Marketing Support cont.

- Channel Support
  - Call Centre Fulfilment Pack
  - Trade Launch Communications Pack
  - Web Pages
- Training Materials
  - Internal Motorola Materials
    - Standard Presentation (this!)
    - Product Launch Manual
  - Channel Training Materials
    - Roadmap Mini-Training Guide
    - Roadmap Standad Presentation
    - Accessories Training Pack
- Other Resources
  - Consumer PR Kit
  - Video, Product and Lifestyle Image libraries



## Motorola cd900 Series For Further Information



wings.motorola.com - New "Wings" Web site