

# **Product Description**



**GSM Zap and Zap C (Refresh)** 

Created By: Jim Filicette-WJF005 on 22/04/98 at 16:21 Category: Review

**Version Number: 4** 

**Hot Spot** to PR Number Assignment database. This Hot Spot for use by ECSG personnel only. Click in Hot Spot, to view, or to generate a request for a Product Release (PR) number.

PR Number: A74-01 A74-02

**Motorola Confidential Proprietary** 

Insert Table in field below to define key changes. Go to Menu -> Create -> Table. Make table 4 columns wide. Enter brief summary of any updates below:

# **Change Control:**

Version Number	Date	Editor	<b>Key Changes</b>
	A/22/00	r Pil (	T '' 1 1 07 0 1
1	4/22/98	Jim Filicette	Initial release of Zap refresh
2	5/25/98	Jim Filicette	Revisions to MMI per Steve Akin's 5/22/98 email. Add Tri-Codec and new vibrator Clarify stage IV and V of Zap refresh
3	6/10/98	Jim Filicette	Revise O2O feature Add Stage I unicode support for phone book to stage V Move VoiceNotes <sup>TM</sup> improvement to stage IV Add note to tri-codec (voice only HR)
4	6/?/98	Jim Filicette	Major Revisions: Add Eastern Euorpean Languages Clarify stages and features Add paint requirements Add manual, literature kit and model structure tables Add unique SMS alert, last 10 improvements, quick access software features to list.

Insert Table in field below to define release approvals. Go to Menu -> Create -> Table. Make table 3 columns wide. When ready for release, submit for signatures. Define who signed below. Each subsequent version change requires release signatures.

# **Release Approval Summary:**

Version Number Signed by Date

Jim Filicette
Tracey Koziol
Ruchi Mangalik
Neal Keating
Doug Main
Mike Hader
Zaf Azam
Philip Broderson
Dave Loveridge

Market Name:

Proposed: cd921 (EMEA Flip) cd931 (EMEA Flat) Proposed: cd928e (ASIA Flip) cd938e (ASIA Flat)

Ship Authorization date:

01/SEPT/98 (use format DDMMMYY)

#### Give a general introduction for this product requirement.

This product description covers the worldwide requirements for GSM 900/1800 Zap and Zap C REFRESH. It will have two stages which will be called: Zap stage V. Zap refresh will have a number of long awaited software MMI improvements plus improved keypad and vibrator hardware features.

Zap stage IV software release date is 20/JUL/98 for internal test and ship authorization requirement of 01/SEPT/98. Zap and Zap C will have similtaneous luanch dates.

Zap stage V will include an enhanced version of stage IV plus Tri-Codec support (half rate). Zap stage V goal for ship acceptance is 01/OCT/98.

#### Europe Plan:

Stage IV for Europe will require a product name change because of the numerous MMI improvements and hardware improvements (key pad and vibra $Call^{TM}$ ). Stage IV will also include painted housings on the flat version only. The proposed market name for Europe is cd921/cd931. Stage V for Europe will not require a product name change because Half Rate will be 'Soft' to the market (only operator).

#### Asia Plan

Stage IV for Asia will require a product name change because of the numerous MMI improvements and hardware improvements (key pad and vibraCall<sup>TM</sup>). The proposed market name for Asia is cd928e/cd938e. Stage V for Asia will not require a product name change because Half Rate support will be 'Soft' to the market (only operator). Asia plans to introduce manual band select to limited market on Aug 18, 1998 and full roll out on Sept 1, 1998.

Signaling Type: GSM Dual Band

Define Key Selling Points and Message:

# New key features in addition to previous versions for Zap Stage IV:

Signficant user interface enhancements

Unicode for full SIM application toolkit class II plus stage I of Asian phone book

Eastern European languages

Improved keypad and VibraCall<sup>TM</sup>

# New key features in addition to the above for Zap Stage V:

Tri-Codec support (voice only HR)

# The following are key selling features of previous versions of Zap cd920/cd930:

Dual-Band technology, the quality capacity solution

Best in class radio, battery and speaker performance

Ergonomically designed for comfortable handling

Value added service delivery through SIM Toolkit

3 minute VoiceNote<sup>TM</sup> message recording feature

Dual-Rate speech codec (FR and EFR)

Ease of use

Large, high contrast (Optimax TM), easy to read display

# Define Product Tier (High, Mid, or Low):

Mid Tier

#### Define Distribution Channel:

Same as cd920/cd930.

# Define Competitors:

Ericsson SH888; now shipping

Nokia 6150, due end Q3-98

Siemens S15; due end Q2-98

Bosch Dual-Com 738; now shipping

Mitsubishi MT-D30; due to launch in Q2-98

NEC G10; due end Q3-98; and DB2000 also now due in Q3-98

Nortel/AEG 2785; due in Q3-98

# Define Key Target Customers:

Same as cd920 and cd930.

# Define product tiering strategy, and any planned variants, for this product:

Zap is a product representing the mid tier.

# Define Models to be Replaced by this Product:

Place cursor in field below. Go to Menu, select Create -> Table, then define number of rows you require, by 3 columns.

Model Name	Model Number	Comments
cd920	SE0007Bccxx	Stage II Flipped Zap
cd920	SE0012Bccxx	Stage II Flipped Zap w/ CPHS
cd930	SE0006Bccxx	Stage III Flat Zap

SE0013Bccxx

#### Define Target Markets:

cd930

Zap is positioned as a feature loaded product, aimed at power users. In particular, the Business Accomplishment and Activity Managment user segments will be targeted.

Define Advertising Requirements, Specifications to Advertise, and Key Message to be delivered:

To be developed in correlation to the Motorola Corporate Wings and brand awareness campaign. Advertising is to be consistent with cd920/cd930.

Define Phone Physical Characteristics. Insert drawings, photos, or other representation if available.

Zap refresh will not require any major modifications to the form factor. Flat Zap stage IV will include painted front, rear and battery door housings in various colors, including CeBit Motorola blue. These colors will be available at stage IV launch on 01/Sept/98.

Stage III Flat Zap w/ CPHS

Define Housing Physical Characteristics. Insert drawings, photos, or other representation if available. Same as cd920 and cd930.

Define Battery Door Physical Characteristics. Insert drawings, photos, or other representation if available. Painted battery doors will be required to match the housing colors and be available

Define Display Physical Characteristics. Insert drawings, photos, or other representation if available. Same as cd920 and cd930.

Define Lens Physical Characteristics. Insert drawings, photos, or other representation if available. Same as cd920 and cd930.

Define Keypad and Keypad Board Physical Characteristics. Insert drawings, photos, or other representation if available. Zap stage IV will include an improved keypad that will adress the field complaints on Zap.

Define Escutcheon Physical Characteristics. Insert drawings, photos, or other representation if available. New escutcheons will be needed for the new market names. The market names for Europe will be cd921 and cd931 for flip and flat respectively. Define Antenna Physical Characteristics. Insert drawings, photos, or other representation if available. Same as cd920 and cd930. Define Connectivity Physical Characteristics. Insert drawings, photos, or other representation if available. Same as cd920 and cd930. Define SIM Card, and SIM Card Reader Physical Characteristics. Insert drawings, photos, or other representation if available. Same as cd920 and cd930. Define any other physical characteristics.

Zap stage IV will incorporate a new vibrator to improve the VibraCall TM feature. This will address complaints from the field on the quality of the vibrator. Zap should use the same vibrator that is being used in GSM 8700.

Define Transceiver Performance:

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 5 columns wide.

Volume (cubic cm) **Talk Time (minutes) Standby Time (hours)** With Battery (Name) Weight (grams)

	BAND	DUAL			
	DTX/DRX9	TX/DRX2			
	220	275	ma	>	ΤX
	9.5	12.7	ma	>	RX
MKT		99	grams	>	Wgt
		Iride	etal Hyd	A. Nickel M	
2-3 hrs	3.0	2.4	650	AAA - Long	TX
50-60 hrs	65	49	617.5	139cc	RX
147 g		147	48	Wgt	Wgt
4-5 hrs	5.0	4.0	1100	AA	TX
80-100 hrs	110	84	1045	150cc	RX
193		182	83	Wgt	Wgt
			lon	B. Lithium	
1-1.5 hrs	1.8	1.5	400	P5	TX
30-40 hrs	40	30	380	139cc	RX
119 g		119	20	Wgt	Wgt
1-1.5 hrs	109	87	400	LP4 Saft	TX
30-40 hrs	40	30	380	139cc	RX
122 g		122	23	Wgt	Wgt
3.5-4.5 hrs	4.5	3.6	1000	LSQ8	TX
80-100 hrs	100	75	950	139cc	RX
144 g		144	45	Wgt	Wgt
10-12 hrs	12.7	10.2	2800	Hi-Cap Pack	TX
200-250 hrs	280	209	2660	189cc	RX
		223	124	Wqt	Wqt
		minary)	e <mark>r (Preli</mark>	C. LiPolym	
				Lith Ploymer	TX

Note: The above performance numbers are engineering estimates for Zap.

Define Battery Technology compatibility and Security requirements: Same as cd920 and cd930. Zap refresh will also employ the invalid battery technology by utilizing the Dallas chip. Zap refresh will eliminate the invalid battery leaflet by integrating the information into the manual.

Define Charge Times with the sharger shipped as standard:

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 3 columns wide.

**Battery** 

Charge time with E. P. Standard Travel Charger to 90 % charge (Minutes)

Charge time with E. P. Desktop Charger to 90 % charge

(Minutes)

Same as cd920 and cd930.

Define Data Compatibility: Same as cd920 and cd930.

Define any requirements in general terms, or define overall requirements scope: Zap refresh will have the same feature set as Zap stage III launch plus the new features below.

## **Key Software Requirements:**

Define Key Software Requirements. Insert drawings, photos, or other representation if required, after table.

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 5 columns wide. **Tracking Number Description Status - First Launch Status - Main Launch Priority** Features required in Zap refresh stage IV: 0203 Viag Home Zone In process and committed 0195 SIM Toolkit class 2 In process and committed 0196 Eastern European languages (not including In process and committed Hebrew) Asian subsidy lock enhancement In process and committed 0016 Unicode for SIM Toolkit In process and committed 0115 SMS Delete all messages option In process and committed 0023 MO-SMS reply to MT-SMS In process and committed 0014 SMS Phone book access In process and committed Manual band select for dual band (ASIA) In process and committed 0155 Increase SIM ADN locations from 155- 255 In process and committed Increase SIM SMS locations from 35 to 75 In process and committed 0162 Support for CSP based on CPHS V4.2 In process and committed Change CLI lookup to use 8 digits In process and committed In process and committed Note: No MMI required Check card software n/a Conference call / call transfer improvement In process and committed ?\*\* Unicode phone book support-stage 1 Under investigation, NOT committed Note: This feature could hold up Zap refresh launch date in Asia 0138\*\* Quick access additions (3) In process and committed 0075\*\* Last 10 call improvements In process and NOT committed 0028\*\* Unique SMS alert tones In process and NOT committed Under investigation, NOT committed Orange data field support O2O dual band CSP bit Under investigation, not committed

Features required in Zap refresh stage V

Multi rate speach coder In pro (FR/EFR/HR) (voice only HR)

In process and committed

#### Note:

- \* = denotes marketing specification is not available
- \*\* = denotes marketing specification is available

## Priority:

Hungarian

**Z**-1

Z-2

Z-3

**Z-4** 

**Z-5** 

- 1 = Required, will not ship without
- 2 = Will be considered for future product launch; will ship without

#### **Transceivers:**

Zap refesh for Europe will allow upto 14 languages per transceiver. The languages will be formated in the following:

The second Zap Refersh transceiver will have the following languages: The first Zap Refersh transceiver will have the following languages: English English French Russian German Lithuanian Polish Turkish Italian Czech Slovakian Spanish Croatian Danish **Finnish** Romanian Dutch Slovenia Greek Latvian Norweigian Estonian Portugese Ukraine Swedish Servian

#### **Key Hardware Requirements:**

**Define Key Hardware Requirements**. Insert drawings, photos, or other representation if required, after table.

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 5 columns wide. **Tracking Number Description Status - First Launch Status - Main Launch Priority** Vibrator (same as 8700) Stage IV Committed Vibrator grommet Stage IV Committed Painted housings & batt doors Stage IV Committed (flat) Improved keypad Stage IV Committed

Stage V

Bulgarian

# Priority:

- 1=Must ship in stage IV launch on Sept 1
- 2=Must ship in stage V launch on Oct 1

Define Flex Requirements. This is the list of most important default flexing settings. Insert drawings, photos, or other representation if required, after table.

Tricoder

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 2 columns wide. **Feature Flex Default** 

Insert Wake Up Graphic required: Same as cd920 and cd930.			
Define Menu Requirements.  Insert graphic detail for new quick access icons, after	table.		
Place cursor in [] below header. Go to menu, select  Quick Access	Create -> Table. Select number of row New Features	• •	New Features
Place cursor in [ ] below header. Go to menu, select  Phone Book	Create -> Table. Select number of row  Call Related  Features	vs you require, by 7 columns wide.	Messages
Place cursor in [ ] below header. Go to menu, select Phone Setup	Create -> Table. Select number of row Network Selection	vs you require, by 7 columns wide.  Call Meters	Accessory Setup
Define Box , Box Insert, and Overpack requirements Insert or attach drawing, or photos, if available. New box artwork will be required for Zap refresh sta			
<b>Standard Box</b> pack configuration.  Define standard model complement. Identify all complement.	nponents which go into this pack config	guration.	
Place cursor in [ ] below header. Go to menu, select <b>Configuration</b>	Create -> Table. Select number of row Contents	vs you require, by 4 columns wide.  Quantity	Comments
Same as cd920 and cd930 except a leather holster will	ll replace the plastic holster for produc	t with painted housings.	
<b>Extended Box</b> pack configuration.  Define extended model complement, (more items that Identify all components which will go into this pack of the components which will go into this pack of the components.)			
Place cursor in [ ] below header. Go to menu, select Configuration	Create -> Table. Select number of row Contents	vs you require, by 4 columns wide.  Quantity	Comments
Same as cd920/cd930.			

Define Packaging, Manual and Label Artwork requirements. Identify which items require a unique artwork. Insert or attach drawing, or photos, if available.

New artworks will be required for manuals, boxes, escutheons as necessary due to the market name change on stage IV.

Define any unique package Labeling required for this Include all labels, including transceiver, packaging, a		s such as TIM Metricola numbers, et	tc.	
Insert or attach drawing, or photos, if available.  TBA				
EAN Numbers for each product type, for each market Define EAN Numbers:	et:			
Place cursor in [ ] below header. Go to menu, select  Market (Country)	Create -> Table. Select number of row <b>Product Name</b>	rs you require, by 4 columns wide.  EAN Number	Comments	
Define Current Accessories and Compatibility to this  Place cursor in [] below header. Go to menu, select  Model, Kit, or Part Numb	Create -> Table. Select number of row		Compatibility Notes	
Same as cd920 and cd930				
Define Planned Accessories and Compatibility to this	s product:			
Place cursor in [ ] below header. Go to menu, select  Model, Kit, or Part Number  Same as cd920 and cd930	Create -> Table. Select number of row Accessory Name	rs you require, by 4 columns wide.  Compatibility Notes	Availability Date	

Define Type Approval Requirements, such as GSM Phase 2, and other Approval Requirements, such as CE Compliance, E Mark Compliance, etc. Include compliance specification number definition where required. Same as cd920 and cd930

**Hot Spot** to Assembly Number Assignment database. This Hot Spot for use by all personnel. Click in Hot Spot, to view, or to generate a request for model, kit, or assembly numbers.

New Sales Models:

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 3 columns wide.

Sales Model Number Brand Description

SE0007Cccxx	cd921	Stage IV Flipped Zap
SE0012Cccxx	cd921	Stage IV Flipped Zap w/ CPHS
SE0006Cccxx	cd931	Stage IV Flat Zap
SE0013Cccxx	cd931	Stage IV Flat Zap w/ CPHS
SE0007Dccxx	cd921	Stage V Flipped Zap
SE0012Dccxx	cd921	Stage V Flipped Zap w/ CPHS
SE0006Dccxx	cd931	Stage V Flat Zap
SE0013Dccxx	cd931	Stage V Flat Zap w/ CPHS

**Note:** For Europe, Zap refresh will utilize all the existing model numbers from the initial launch of Zap. Zap reresh will employ a similar up-suffixing scheme as stage I, II, III of Zap. Stage IV models will be upsuffixed to the 'C' version of Zap. Stage IV product will also have the market name change as per above. Stage V model numbers will be upsuffixed to 'D' version of Zap. Stage V will not have a market name change.

New Field Service Models:

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 3 columns wide.

Field Service Model Number Brand Description

TBA

Define New Sales Model Content for the First Core Product. Include all model, kit, or item numbers:

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 5 columns wide.

Models Transceiver Manual Accessories

Other

Stage IV:	Kit:	Kit:	Battery: (LGQ8)	Holster (plastic):
Flip Zap	SUGxxxx - Blk	See Table 1 in section 4.4	SNN5360	SHN6851
	SUGxxxx - Grey	Manual:	Battery Door AAA: SHN6617-BLK	ZAP WINGS box:
SE0005CB1xx	SUGxxxx - TP blue	See Table 1 in section 4.4	SHN6825-Grey	56xxxxxKxx
SE0007CB1xx			SHN6943-TP blue	Blue pulp insert:
SE0012CB1xx	Rear Escutheon:	Literature Kit:	Universal Charger: SPN4278	5603930K01
	See Table 2 in appendix	See Table 3 in appendix	Plug: See Table 1 in section 4.4	
				Flip escutheon:
				See Table 2 in appendix
Stage V:	Kit:	Kit:	Battery: (LGQ8)	Holster (plastic):
	SUGxxxx - Blk	See Table 1 in section 4.4	SNN5360	SHN6851
Flip Zap	SUGxxxx - Grey	Manual:	Battery Door AAA: SHN6617-BLK	Zap WINGS box:
SE0005DB1xx	SUGxxxx - TP blue	See Table 1 in section 4.4	SHN6825-Grey	56xxxxxKxx
SE0007DB1xx			SHN6943-TP blue	Blue pulp insert:
SE0012DB1xx	Rear Escutheon:	Literature Kit:	Universal Charger: SPN4278	5603930K01
	See Table 2 in appendix	See Table 3 in appendix	Plug: See Table 1 in section 4.4	
				Flip escutheon:
				See Table 2 in appendix
Stage IV:	Kit:	Kit:	Battery: (LGQ8)	Holster (plastic):
	SUGxxxx - Blk	See Table 1 in section 4.4	SNN5360	SHN6851
Flat Zap	SUGxxxx - Grey	Manual:	Battery Door AAA: SHN6617-BLK	ZAP WINGS box:
SE0006CB1xx	SUGxxxx - TP blue	See Table 1 in section 4.4	SHN6825-Grey	56xxxxxKxx
SE0013CB1xx			SHN6943-TP blue	Blue pulp insert:
	Rear Escutheon:	Literature Kit:	Universal Charger: SPN4278	5603930K01
	See Table 2 in appendix	See Table 3 in appendix	Plug: See Table 1 in section 4.4	
	**	**	, and the second	Front escutheon:
				See Table 2 in appendix
Stage V:	Kit:	Kit:	Battery: (LGQ8)	Holster (plastic):
	SUGxxxx - Blk	See Table 1 in section 4.4	SNN5360	SHN6851
Flat Zap	SUGxxxx - Grey	Manual:	Battery Door AAA: SHN6617-BLK	ZAP WINGS box:
SE0006DCB1xx	SUGxxxx - TP blue	See Table 1 in section 4.4	SHN6825-Grey	56xxxxxKxx
SE0013DB1xx			SHN6943-TP blue	Blue pulp insert:
	Rear Escutheon:	Literature Kit:	Universal Charger: SPN4278	5603930K01
	See Table 2 in appendix	See Table 3 in appendix	Plug: See Table 1 in section 4.4	
	TI VIII	**************************************		
				Front escutheon:

Define any upcoming variants required, beyond this core product introduction. These programs will be separately defined, with their own product description, etc.: TBA

Hot Spot to Assembly Number Assignment database.

Click in Hot Spot, to view, or to generate a request for model, kit, or assembly numbers.

Define Manual requirements, and any translation priorities for the various models. Attach "01R" documents if applicable.

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 5 columns wide.

Models Manual Kit Number Manual Part Number Language Market

**Translation Priority** 

Table 1. Cha	argers and M	anuals		1				
Stage IV	Stage IV	Stage V	Stage V	Charger	Manual	Manual		Market or
Flip ZAP	Flat ZAP	Flip ZAP	Flat ZAP	Plug	Kit #	P/N	Priority	Language
SE0007CccA1	SE0006CccA1	SE0007DccA1	SE0006DccA1	SYN4655	SJN7598B	6809417A28	1	Danish
SE0012CccA1	SE0013CccA1	SE0012DccA1	SE0013DccA1					
SE0007CccB1	SE0006CccB1	SE0007DccB1	SE0006DccB1	SYN6718	SJN7609B	6809417A29	1	English (UK)
SE0012CccB1	SE0013CccB1	SE0012DccB1	SE0013DccB1					
SE0007CccC1	SE0006CccC1	SE0007DccC1	SE0006DccC1	SYN4655	SJN7599B	6809417A30	1	Finnish
SE0007CccD1	SE0006CccD1	SE0007DccD1	SE0006DccD1	SYN4655	SJN7602B	6809417A31	1	Dutch
SE0007CccE1	SE0006CccE1	SE0007DccE1	SE0006DccE1	SYN4655	SJN7604B	6809417A32	1	French
SE0012CccE1	SE0013CccE1	SE0012DccE1	SE0013DccE1					
SE0007CccF1	SE0006CccF1	SE0007DccF1	SE0006DccF1	SYN4655	SJN7608B	6809417A33	1	German
SE0007CccG1	SE0006CccG1	SE0007DccG1	SE0006DccG1	SYN4655	SJN7600B	6809417A34	1	Greek
SE0007CccH1	SE0006CccH1	SE0007DccH1	SE0006DccH1	SYN4655	SJN7607B	6809417A35	1	Italian
SE0007CccJ1	SE0006CccJ1	SE0007DccJ1	SE0006DccJ1	SYN4655	SJN7597B	6809417A36	1	Norwegian
SE0007CccK1	SE0006CccK1	SE0007DccK1	SE0006DccK1	SYN4655	SJN7601B	6809417A37	1	Portuguese
SE0007CccL1	SE0006CccL1	SE0007DccL1	SE0006DccL1	SYN4655	SJN7603B	6809417A38	1	Spanish
SE0007CccM1	SE0006CccM1	SE0007DccM1	SE0006DccM1	SYN4655	SJN7606B	6809417A39	1	Swedish
SE0007CccN1	SE0006CccN1	SE0007DccN1	SE0006DccN1	SYN4655	SJN7602B	6809417A40	1	Belgium
SE0007CccP1	SE0006CccP1	SE0007DccP1	SE0006DccP1	SYN4655	SJN7604B,	6809417A41	1	Swiss Package
SE0007CccQ1	SE0006CccQ1	SE0007DccQ1	SE0006DccQ1	SYN4655	SJN7595B	6809417A39	1	Turkish
SE0007CccR1	SE0006CccR1	SE0007DccR1	SE0006DccR1	SYN4655	SJN7596B	6809417A43	1	Hungarian
SE0007CccS1	SE0006CccS1	SE0007DccS1	SE0006DccS1	SYN4655	SJN7572B	6809417A44	1	Slovakian
other models	other models	other models	other models	SYN4655	SJN7610B	6809417A45	1	Arabic
SE0007CccT1	SE0006CccT1	SE0007DccT1	SE0006DccT1	n/a	SJN7604B	6809417A46	1	North Africa
SE0007CccU1	SE0006CccU1	SE0007DccU1	SE0006DccU1	SYN4655	SJN7593B	6809417A47	1	Russian
SE0007CccV1	SE0006CccV1	SE0007DccV1	SE0006DccV1	SYN4655	SJN7592B	6809417A48	1	Lithuanian
SE0007CccW1	SE0006CccW1	SE0007DccW1	SE0006DccW1	SYN4655	SJN7571B	6809417A49	1	Polish
SE0007CccY1	SE0006CccY1	SE0007DccY1	SE0006DccY1	SYN4655	SJN7793B	6809417A50	1	Czech
SE0007CccZ1	SE0006CccZ1	SE0007DccZ1	SE0006DccZ1	SYN4655	None	None	1	No language
SE0007CccB2	SE0006CccB2	SE0007DccB2	SE0006DccB2	SYN4655	SJN7609B	6809417A51	1	English for S.
SE0007CccC2	SE0006CccC2	SE0007DccC2	SE0006DccC2	SYN4655	SJN8173B	6809417A52	1	Croatian
SE0007CccF2	SE0006CccF2	SE0007DccF2	SE0006DccF2	SYN4655	SJN7608B	6809417A53	1	German for
SE0007CccG2	SE0006CccG2	SE0007DccG2	SE0006DccG2	SYN6718	SJN7600B	6809417A54	1	Cyprus
SE0007CccP2	SE0006CccP2	SE0007DccP2	SE0006DccP2	SYN4655	SJN8174B	6809417A55	1	Romanian
SE0007CccS2	SE0006CccS2	SE0007DccS2	SE0006DccS2	SYN4655	SJN8175B	6809417A56	1	Slovenian
SE0007CccT2	SE0006CccT2	SE0007DccT2	SE0006DccT2	SYN6718	SJN7609B	-	1	Gulf States
SE0007CccU2	SE0006CccU2	SE0007DccU2	SE0006DccU2	SYN4655	SJN8176B	6809417A57	1	Ukrainian
SE0007CccX2	SE0006CccX2	SE0007DccX2	SE0006Dcc02	SYN4655	SJN8180B	6809417A57	1	Israeli
SE0007CccZ2	SE0006CccZ2	SE0007DccZ2	SE0006DccZ2	SYN6718	None	None	1	No language
SE0007CccA3	SE0006CccA3	SE0007DccA3	SE0006Dcc22	SYN4655	SJN8177B	6809417A59	1	Latvian
SE0007CccA3	SE0006CccA3	SE0007DccA3	SE0006DccA3	SYN4655	SJN8177B	6809417A59	1	Estonian
SE0007CccA4	SE0006CccA4	SE0007DccA4	SE0006DccC3	SYN4655	SJN8179B	6809417A61	1	Bulgarian
SE0007Cccxx	SE0006Cccxx	SE0007Dccxx	SE0006Dccxx	SYNxxxx	SJN8530A	6809417A61	1	Serbian
SEUUUI CUUXX	OLUUUUUUUUXX	SE0007 DCCXX	PERMODERNA	I O LINXXXX	AUCCONICO	0003417A02	<u> </u>	Joennian

Priority:

1 = required at launch

Schedule Milestone	Units	<b>Requested Date (DDMMMYY)</b>	Comments
Non-Functioning	N/A		
Cosmetically Correct Units			
For Marketing Purposes			
Functioning Units	100	01Aug98	Note: Painted units
For Marketing Purposes			
(final functionality not required)			
Field Engineering	1000	20JUL98	
Test Samples			
Worldwide Operator	1000	10Aug98	
Test Samples			
Market Trial	5000	10Aug98	
Test Samples			
<b>Launch Requirements</b>	30000	01Sept98	

Define any other Key Schedule Milestones:

Required Introduction Date: 01/SEPT/98
Launch Volume (number of units): 5,000

		Volume	Volume	Volume	Volume		Volume
	Period (MMMYY)	Region 1 EMEA	Region 2 ASIA	Region 3	Other	To	otal Worldwide
Required Stock for	Sep. 98	15,000	15,000	0		0	30,000
Launch	•						

Define expected Product Lifetime: Through Q4 1999

Keep a list of all requirements requested in this product description, from the first draft through final copy, which ARE NOT POSSIBLE in this product design. The intent of this section is to keep a running list of all non-fulfilled requirements, for inclusion in the next product design activity.

Approval of this product description, brings an agreement between all team members, on what will be included in this product design. Items in this section are EXCLUDED from the approval.

Define Key Requirements Excluded From This Product Description, but required for future product introduction.

Insert drawings, photos, or other representation if required, after table.

Place cursor in [] below header. Go to menu, select Create -> Table. Select number of rows you require, by 5 columns wide.

Tracking Number Description Status - First Launch Status - Main Launch Priority

**Define Other Expected Customers, in First 3 Months of Production:** 

Customer Name Product Required Comments

Attach any additional information required:

# Table 2:

Stages IV and V: Flipped	Black	Magix Grey	Ten Pin Blue
Lens Surround	Black	Silver MM524	Black
Lens Printing	Pantone 427	Bright White	Pantone 427
Front Escutcheon Part Number	54-09397-Mxx	54-09397-Mxx	54-09397-Mxx
Front Escutcheon Background	Black	Silver MM524	Black
Front Escutcheon Finish	Polished	Polished	Polished
Front Escutcheon Printing	Pantone 427	Bright White	Pantone 427
Back Escutcheon Part Number	54 09158-T04	54 09158-T04	54 09158-T04
Back Escutcheon Background	Black	Black	Black
Back Escutcheon Finish	Domed	Domed	Domed
Back Escutcheon Printing	Pantone 427	Pantone 427	Pantone 427
Keypad Background	Black	Black	Black
Keypad Finish	Hard	Hard	Hard

Stage IV & V: Flipless	Black	Magix Grey	Ten Pin Blue
Lens Surround	Black	Silver MM524	Black
Lens Printing	Pantone 427	Bright White	Pantone 427
Front Escutcheon Part Number		13-09432-Uxx	13-09432-Uxx
Front Escutcheon Background		Silver MM524	Black
Front Escutcheon Finish		as body	as body
Front Escutcheon Printing		Bright White	Pantone 427
Back Escutcheon Part Number	54 09158-T04	54 09158-T04	54 09158-T04
Back Escutcheon Background	Black	Black	Black
Back Escutcheon Finish	Domed	Domed	Domed
Back Escutcheon Printing	Pantone 427	Pantone 427	Pantone 427
Keypad Background	Black	Black	Black
Keypad Finish	Silicon	Silicon	Silicon

Stage IV	Stage IV Flat	Stage V	Stage V	Kit		
Flipped ZAP		Flipped ZAP	Flipless ZAP	Number	Market	Kit Contents
SE0007CccA1	SE0006CccA1	SE0007DccA1	SE0006DccA1	SJN8356BA	Denmark	Accessory leaflet-68p09414A6
SE0012CccA1	SE0013CccA1	SE0012DccA1	SE0013DccA1			
SE0007CccB1	SE0006CccB1	SE0007DccB1	SE0006DccB1	SJN8356BB	UK	Accessory leaflet-68p09414A6
SE0012CccB1	SE0013CccB1	SE0012DccB1	SE0013DccB1			Registration Card-68p09408A2
SE0007CccC1	SE0006CccC1	SE0007DccC1	SE0006DccC1	SJN8356BC	Finland	Accessory leaflet-68p09414A6
SE0007CccD1	SE0006CccD1	SE0007DccD1	SE0006DccD1	SJN8356BD	Netherlands	Accessory leaflet-68p09414A6
						Registration Card-68p09408A2
SE0007CccE1	SE0006CccE1	SE0007DccE1	SE0006DccE1	SJN8356BE	France	Accessory leaflet-68p09414A7
SE0012CccE1	SE0013CccE1	SE0012DccE1	SE0013DccE1			Registration Card-68p09408A2
SE0007CccF1	SE0006CccF1	SE0007DccF1	SE0006DccF1	SJN8356BF	Germany	Accessory leaflet-68p09414A7
					-	Registration Card-68p09408A2
						24 hour service-68p09405A07
SE0007CccG1	SE0006CccG1	SE0007DccG1	SE0006DccG1	SJN8356BG	Greece	Accessory leaflet-68p09414A7
SE0007CccH1	SE0006CccH1	SE0007DccH1	SE0006DccH1	SJN8356BH	Italy	Accessory leaflet-68p09414A7
SE0007CccJ1	SE0006CccJ1	SE0007DccJ1	SE0006DccJ1	SJN8356BJ	Norway	Accessory leaflet-68p09414A7
SE0007CccK1	SE0006CccK1	SE0007DccK1	SE0006DccK1	SJN8356BK	Portugal	Accessory leaflet-68p09414A7
						Waranty Card-68p09405A09
SE0007CccL1	SE0006CccL1	SE0007DccL1	SE0006DccL1	SJN8356BL	Spain	Accessory leaflet-68p09414A7
						Registration Card-68p09408A
						Waranty Card-68p09405A08
SE0007CccM1	SE0006CccM1	SE0007DccM1	SE0006DccM1	SJN8356BM	Sweden	Accessory leaflet-68p09414A7
	SE0006CccN1	SE0007DccN1	SE0006DccN1	SJN8356BN		Accessory leaflet-68p09414A7
	SE0006CccP1	SE0007DccP1	SE0006DccP1		Switzerland	Accessory leaflet-68p09414A7
SE0007CccQ1	SE0006CccQ1	SE0007DccQ1	SE0006DccQ1	SJN8356BQ	Turkev	Accessory leaflet-68p09414A8
	SE0006CccR1	SE0007DccR1	SE0006DccR1		•	Accessory leaflet-68p09414A8
	SE0006CccS1	SE0007DccS1	SE0006DccS1	SJN8356BS	<u> </u>	Accessory leaflet-68p09414A8
other models	other models	other models	other models	SJN8356BT	Arab/Eng/French	Accessory leaflet-68p09414A8
	SE0006CccT1	SE0007DccT1	SE0006DccT1	SJN8356BT	North Africa	Accessory leaflet-68p09414A8
	SE0006CccU1	SE0007DccU1	SE0006DccU1	SJN8356BU	Russia	Accessory leaflet-68p09414A8
	SE0006CccV1	SE0007DccV1	SE0006DccV1	SJN8356BV	Lithuania	Accessory leaflet-68p09414A8
	SE0006CccW1	SE0007DccW1	SE0006DccW1	SJN8356B	Poland	Accessory leaflet-68p09414A8
	SE0006CccY1	SE0007DccY1	SE0006DccY1	SJN8356BX	Czech Republic	Accessory leaflet-68p09414A8
SE0007CccZ1	SE0006CccZ1	SE0007DccZ1	SE0006DccZ1	NONE	Generic UK plug	None
	SE0006CccB2	SE0007DccB2		SJN8491BA	, <u>, , , , , , , , , , , , , , , , , , </u>	Accessory leaflet-68p09414A6
	SE0006CccC2					Accessory leaflet-68p09414A8
	SE0006CccF2	SE0007DccF2	SE0006DccF2	SJN8489BA	Austria	Accessory leaflet-68p09414A7
						Registration Card-68p09408A
						24 hour service-68p09405A16
SE0007CccG2	SE0006CccG2	SE0007DccG2	SE0006DccG2	SJN8356BZ	Cyprus	Accessory leaflet-68p09414A8
	SE0006CccP2	SE0007DccP2	SE0006DccP2		Romania	Accessory leaflet-68p09414A9
	SE0006CccS2	SE0007DccS2	SE0006DccS2		Slovenia	Accessory leaflet-68p09414A7
	SE0006CccT2	SE0007DccT2	SE0006DccT2	SJN8493BA	Gulf States	Accessory leaflet-68p09414A8
	SE0006CccU2	SE0007DccU2	SE0006DccU2	SJN8357BA	Ukraine	Accessory leaflet-68p09414A9
	SE0006CccX2	SE0007DccX2	SE0006DccX2	SJN8357BB	Israel	Accessory leaflet-68p09414A9
	SE0006CccZ2	SE0007DccZ2	SE0006DccZ2	NONE	Generic UK plug	None
	SE0006CccA3	SE0007DccA3	SE0006Dcc22		Latvia	Accessory leaflet-68p09414A9
	SE0006CccC3	SE0007DccC3	SE0006DccA3		Estonia	Accessory leaflet-68p09414A9
	SE0006CccA4	SE0007DccA4	SE0006DccA4		Bulgaria	Accessory leaflet-68p09414A9
J_0001 CCCA4	OLUUUUUUUUUA4	OLUUUI DUUA4	SE0006DccA4	OUNOSS/ DE	Serbia	Accessory realier-doposatians